



$\phi M12 p0.8$

$\phi 12 \begin{smallmatrix} 0 \\ -0.02 \end{smallmatrix}$

$\phi 12 \begin{smallmatrix} 0 \\ -0.02 \end{smallmatrix}$

$\phi M12 p0.8$




단면 A-A  
축척 2:1



昊盛嘉

HSJ metal fabrication




REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	000	INITIAL RELEASE	10/08/2015	
	001	REVISED TO MOUNT MITSUBISHI AA104XG12 DISPLY ONLY	03/21/2016	
	002	LABEL RECESS FOR KNOBS AND LOGO	05/04/2016	
	003	MULTIPLE DESIGN CHANGES	09/28/2016	

此处贴亮度标签  
(客户)

BRIGHTNESS LABEL HERE

VOLUME LABEL HERE  
此处贴尺寸标签 (客户)

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN MILLIMETERS		DRAWN	REG
TOLERANCES:		CHECKED	
FRACTIONAL ±		ENG APPR.	
ANGULAR: MACH ± .10 BEND ± .10		MFG APPR.	
TWO PLACE DECIMAL ± 0.10		Q.A.	
THREE PLACE DECIMAL ± 0.105		COMMENTS:	
INTERPRET GEOMETRIC TOLERANCING PER:			
MATERIAL:			
6061-H32 ALUMINUM ALLOY			
NEXT ASSY	USED ON		
FINISH:			
- GLASS BEAD BLAST			
- BLACK ANODIZED			
APPLICATION			
DO NOT SCALE DRAWING			



REV 03  
OF 2


4

3

2

1

TAG	X LOC	Y LOC	SIZE
A1	14.96	93.20	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A2	14.96	151.05	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A3	16.50	205.50	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A4	17.50	72	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A5	17.50	166.90	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A6	17.74	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A7	52.27	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A8	78.63	19.20	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A9	102.63	19.20	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A10	125	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A11	145	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A12	167.37	19.20	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A13	191.37	19.20	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A14	217.74	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A15	252.27	18	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A16	252.50	67	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A17	252.50	166.90	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A18	253.50	205.50	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A19	255.04	83.95	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97
A20	255.04	141.80	$\phi$ 2.71 $\nabla$ 7 6-32 UNC $\nabla$ 5.97



昊盛嘉

HSJ metal fabrication

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	TITLE
DIMENSIONS ARE IN MILLIMETERS		DRAWN	REG	
TOLERANCES:		CHECKED	10/08/16	
FRACTIONAL $\pm$		ENG APPR.		SIZE DWG. NO. REV <b>B</b> OM4-P02-R3 000
ANGULAR: MACH $\pm$ BEND $\pm$		MFG APPR.		
TWO PLACE DECIMAL $\pm$		Q.A.		SCALE: 1:2 WEIGHT: SHEET 2 OF 2
THREE PLACE DECIMAL $\pm$		COMMENTS:		
INTERPRET GEOMETRIC TOLERANCING PER:				
MATERIAL				
NEXT ASSY	USED ON	FINISH		
APPLICATION		DO NOT SCALE DRAWING		

4

3




2

1



昊盛嘉




HSJ metal fabrication





昊盛嘉


HSJ metal fabrication



YXPO160436(jack)6#  
材料：铝7075

表处：银色喷砂氧化

HSJ metal fabrication



YXPO160436(jack)7#  
材料：铝7075

表处：黑色喷砂氧化